



58' Vanquish VQ58

LENGTH:

58 ft (17.68 m)

DRAFT:

BEAM:

4' 2" (1.27m)

16′8″ (5.08m)

SPEED:

CRUISING: 28 KNOTS

MAX: 37 KNOTS

BUILDER:

VANQUISH YACHTS

LOCATION:

SAG HARBOR, NEW YORK UNITED STATES





This is TAKE IT EASY V

OVERVIEW

TAKE IT EASY V is a 2022 Vanquish VQ58 representing the pinnacle of Dutch yacht building craftsmanship. She combines custom aluminum construction with cutting-edge design and performance. With low engine hours and a full list of recent works, she presents an exceptional opportunity to own a nearly new vessel with significant savings over replacement cost.







Specifications

DIMENSIONS

LENGTH	58 ft (17.68 m)
BEAM	16'8" (5.08m)
DRAFT	4' 2" (1.27m)

GENERAL & TECHNICAL

YEAR	2022
BUILDER	VANQUISH YACHTS
MODEL	V Q 5 8
TYPE	CRUISING YACHT EXPRESS
DESIGNER	VANQUISH YACHTS
HULL MATERIAL	ALUMINUM



Specifications

GENERAL & TECHNICAL

ENGINES	725 HP,TWIN, INBOARD, VOLVO, IPS 950, 700HRS /	
RANGE AT CRUI	S E	300 NM
CRUISING SPEE	D 28	KNOTS
TONNAGE		47.00
MAX SPEED	3 7	KNOTS

DECK MATERIAL	FLEXITEEK
FUEL CAPACITY	420 Gal
WATER CAPACITY	105 Gal

ACCOMMODATIONS

STATEROOMS	2
SLEEPS	4







Key Features

CUSTOM ALUMINUM CONSTRUCTION (NO MOLDS USED)

AXE BOW DESIGN FOR SUPERIOR SEA-KEEPING

FLEXITEEK SYNTHETIC TEAK DECKING

PANORAMIC GLASS SKYLIGHT HARDTOP

CARBON FIBER SUNSHADE POLES (BOW & AFT)

POP-UP CLEATS (VERSARI)

ANCHOR DEPLOYS FROM HULL BOTTOM

BOOT STRIPE EXTENDS TO SWIM PLATFORM

NEBULIZZAZIONE EURO MISTING SYSTEM







Accommodations

INTERIOR

TWO STATEROOMS (FORWARD AND AFT)

ONE HEAD WITH PLANUS FRESHWATER TOILET

SEPARATE SHOWER COMPARTMENT

ELEGANT WOOD CABINETRY WITH GLOSSY ALUMINUM FINISHES







Hull & Exterior

HULL TOP-SIDES, BOOT STRIPE, AND DECK HULL STRUCTURE - NEW PAINT

HULL BOTTOM PAINT WITH TRILUX 33 ANTIFOULING

RUBBER RUB RAIL REPLACEMENT

ROOF PAINT APPLICATION

ROOF GLASS PANELS - CAULKING REPLACEMENT

ROOF GLASS PANELS - V-KOOL REFLECTIVE HEAT FILM INSTALLATION





Deck Equipment

MAXWELL HORIZONTAL HYDRAULIC WINDLASS

200' STAINLESS STEEL ANCHOR CHAIN (APPROX)

STAINLESS STEEL DANFORTH ANCHOR

BESENZONI HYDRAULIC PASSARELLE

QUICK 24V TENDER WINCH WITH REMOTE

HYDRAULIC TRANSOM GARAGE DOOR

SEVEN UNDERWATER LED LIGHTS (BLUEFIN)

MARINCO SEARCHLIGHT WITH PANTILT & REMOTE

JARO 24V AIR COMPRESSOR (120 PSI)





















Audio & Visual Equipment

FUSION MARINE STEREO SYSTEM WITH SATELLITE RADIO

DUAL JL AUDIO AMPLIFIERS

CUSTOM ALUMINUM SPEAKERS THROUGHOUT

SUBWOOFERS UNDER CAPTAIN'S SEAT AND DECK LOUNGE





Tenders & Toys

- ·Vanquish VQ11 tender (11' FRP with Rotax 170HP inboard water jet)
- ·Two Sea Bob F5 underwater electric scooters
- ·Storage in hydraulic transom garage



Galley & Domestic Equipment

KITCHEN

- ·Liebherr refrigerator with freezer compartment
- ·Samsung microwave with convection
- ·Isotherm icemaker
- ·Liebherr wine cooler
- · Multiple refrigerated drawers (Isotherm, Vitrifrigo)
- ·Quick 40-liter water heater (230V + engine heating)





Navigation & Electronics

- · Dual Garmin GPSMAP 8616 XSV displays
- ·Garmin Fantom 18 radar (48-mile range)
- ·Garmin AIS 800
- ·Garmin VHF 315
- ·Reactor 40 autopilot integrated with GPS
- ·FLIR infrared camera with PTZ functions
- ·Vanquish/EmpirBus vessel monitoring system
- · Additional Garmin GPSMAP 743 XSV in cabin







Propulsion System

MAIN ENGINES

Make/Model: Twin Volvo Penta D11B2-A MP

Power: 725 HP (533 KW) each

Cooling: Freshwater circulating system

Drives: Volvo Penta IPS950 (IPS20D) pod drives Controls: Single lever electronic with joystick Dynamic Positioning: Volvo Penta DPS system

GENERATOR

Make/Model: Fischer Panda 150001

Output: 12.0 kW




Onboard Systems

ELECTRICAL

- ·Shore Power: 125/250V, 30A inlet with ELCI
- ·Inverter: Victron Energy 24-230V, 8000VA
- ·Battery Charger: Victron Energy 24V/200A
- ·Transformers: Victron Energy 7000W (230V) & 3600W (115/230V)
- · Digital switching via Vanquish/EmpirBus system
- · Multiple battery banks (engine start, service, thruster, generator start)

CLIMATE

- Dometic direct expansion A/C system (30,000 BTU)
- ·Three self-contained compressor/blower units
- ·Two Primetime 230V raw water pumps





Safety Equipment

- · 22 adult Type II life jackets
- ·FirePro FP1200TS aerosol fire suppression in engine room
- ·Two Type B:C fire extinguishers
- ·Visual distress signals (valid through 04/2026)
- ·Rule 24V bilge pumps with float switches
- ·Whale 24V diaphragm pump
- · Manual hand pump at transom



